



EVOX J9

ACTIVE THREE-WAY PORTABLE COLUMN SPEAKER




Description	EVOX J9 is an active, three-way portable column system designed for maximum clarity and power in a compact format. A 1.75" compression driver coupled with a 120° × 40° True Resistive Waveguide ensures wide, consistent coverage, while 6 x 3" full-range transducers and a high-power 12" woofer in a bass-reflex enclosure deliver articulate mids and deep, controlled lows. Driven by a 2100W onboard dual-channel Class-D amplifier, EVOX J9 delivers an impressive 130 dB Max SPL output. Part of the EVOX J Series, it incorporates RCF's tour-grade technology into a sleek, unobtrusive package that delivers crystal-clear vocals, natural musical response, and effortless deployment for bands, DJs, and live performers.			
Features	<ul style="list-style-type: none">› 130 dB Max SPL› 2100 W Class-D Amplifier - Built-In DSP› 1.75" Neo Compression Driver - 120° X 40° True Resistive Waveguide› 6 x 3" Full-Range Neo Transducers› 12" High-Power Woofer› Enhanced Coverage And Clarity› Composite Cabinet With Aluminum Stand Mount› Sleek, Road-Ready Design› Top Speaker Padded Carrying Bag Included			
Part Number	13000928 EVOX J9 13000929 EVOX J9 13000983 EVOX J9 W 13000984 EVOX J9 W	220-240 V 100-120 V 220-240 V 100-120 V	Black Black White - RAL 9003 White - RAL 9003	EAN 8024530024123 EAN 8024530024161 EAN 8024530024437 EAN 8024530024468



EVOX J9

ACTIVE THREE-WAY PORTABLE COLUMN SPEAKER

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response	40 Hz - 20000 Hz
	Max SPL @ 1m	130 dB
	Horizontal coverage angle	120°
	Vertical coverage angle	40°
Transducers	Compression Driver	1 x 0.75" neo, 1.75" v.c
	Fullrange	6 x 3.0" neo, 1.0" v.c
	Woofer	1 x 12", 2.5" v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	Combo XLR/Jack
	Output connectors	XLR
	Input sensitivity	-2 dBu/+4 dBu
Processor section	Crossover Frequencies	200 Hz/1800 Hz
	Protections	Thermal, RMS
	Limiter	Soft Limiter
	Controls	Volume, Presets: LINEAR/LIVE, CLUB, VOICE
Power section	Total Power	2100 W Peak
	High frequencies	700 W Peak
	Low frequencies	1400 W Peak
	Cooling	Convection
	Connections	VDE
Standard compliance	Safety agency	CE compliant



EVOX J9

ACTIVE THREE-WAY PORTABLE COLUMN SPEAKER

Physical specifications	Cabinet/Case Material	PP Composite	
	Handles	1 Top	
	Pole mount/Cap	Quick-fit socket	
	Grille	Steel	
	Color	Black, White - RAL 9003	
	Height	2080.1 mm / 81.89 inches	
	Width	350 mm / 13.78 inches	
	Depth	462.6 mm / 18.21 inches	
	Weight	28.3 kg / 62.39 lbs	
	ACCESSORIES		
Rigging / Mounting	FLOOR STANDS		
	13360768	PMK60768	Black - RAL 9005
Protections	13360770	PMK60770	White - RAL 9003
	COVERS		
	13360751	CVR60751	Black EAN 8024530024536
	13360752	CVR60752	Black EAN 8024530024543