



SUB 15-AX

PROFESSIONAL ACTIVE 15" SUBWOOFER



Description

The SUB 15-AX is a portable 15" high-power active subwoofer for live sound applications with fully featured processing, a color touch panel, and remote control via Bluetooth®. The combination of a latest-generation transducer with a powerful Class-D amplifier delivers sound pressure levels up to 133 dB with exceptional clarity and headroom. SUB AX subwoofers are designed specifically for small to mid-sized venues and ideal for portable applications. SUB 15-AX is the ideal complement for 10" or 12" woofer-size loudspeakers; it centralizes speaker management inside the subwoofer, providing dual crossovers, 8-band EQs, routing, delays, cardioid configurations, and recallable crossover presets. The polyurea-coated all-wood cabinet features a sealed Powercon True1 Top connector.

- Features
- › 2200 Watt Class-D Amplifier

› 133 dB MAX SPL

› 15" Woofer, bass reflex housing

› Digital Crossover w/ Presets

› Multi-ply hardwood polyurea-coated

› LiveRemote App

› Dual XLR/TRS combo Input + Link, Dual XLR Xover Out

› Bass Motion Control excursion management

› Powercon True1 Top Sealed AC Connector


Part Number	13000832 SUB 15-AX	100-120 V	Black	EAN 8024530021849
	13000835 SUB 15-AX	220-240 V	Black	EAN 8024530021818
	13000877 SUB 15-AX W	100-120 V	White	EAN 8024530021894
	13000878 SUB 15-AX W	220-240 V	White	EAN 8024530022044



SUB 15-AX

PROFESSIONAL ACTIVE 15" SUBWOOFER

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response	35 Hz - 120 Hz
	Max SPL @ 1m	133 dB
Transducers	Woofer	1 x 15", 3.0" v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	Combo XLR/Jack
	Output connectors	XLR
	Input sensitivity	-2 dBu/+4 dBu
Processor section	Protections	Thermal
	Limiter	Soft Limiter
	Controls	Encoder for Volume control and data entry. Touch Screen for parameter management and monitor.
Power section	Total Power	2200 W Peak, 1100 W RMS
	Cooling	Convection
	Connections	Powercon TRUE1 TOP IN/OUT
Standard compliance	Safety agency	CE compliant
Physical specifications	Cabinet/Case Material	Plywood
	Handles	1 handle per side
	Pole mount/Cap	M20 thread
	Grille	Steel
	Color	Black, White



SUB 15-AX

PROFESSIONAL ACTIVE 15" SUBWOOFER

Size / Weight	Height		590 mm / 23.23 inches	
	Width		420 mm / 16.54 inches	
	Depth		590 mm / 23.23 inches	
	Weight		31.4 kg / 69.23 lbs	
Rigging / Mounting	ACCESSORIES			
	POLE MOUNT KITS			
	13360638	PM-KIT M20	White	EAN 8024530022303
	13360067	PM-KIT M20	Black	EAN 8024530014599
Protections	BAGS, COVERS			
	13360529	CVR 004	Black	EAN 8024530020415