



SUB 8004-AS

ACTIVE HIGH POWER SUBWOOFER



Description

The SUB 8004-AS is one of the most powerful 18" subwoofers in pro-sound category. Featuring a high power, hyperventated 18" woofer, with 4" inside/outside voice coils, this cabinet is designed to deliver a serious amount of low frequency. Powered by a 1250W digital amplifier module, the SUB 8004-AS can perform in the most demanding situations. The input board includes volume control, deep/punch switch, high pass switch, phase switch, cardioid, time delay.

Features

- › 2500 Watt Peak
- › 136 dB max SPL
- › 30 Hz - 120 Hz frequency response
- › 18" Woofer, 4.0" voice coil vented woofer
- › DSP controlled Input section with selectable presets
- › Delay control
- › Baltic birch tour grade cabinet
- › Compatible with NXL23-A (stacking)
- › Compatible with NXL24-A (stacking)
- › Multiple configurations with HDL 10-A and HDL 20-A

Part Number


13000392 SUB 8004-AS	220-240 V	Black	EAN 8024530010607
13000393 SUB 8004-AS	115 V	Black	EAN 8024530010751



SUB 8004-AS

ACTIVE HIGH POWER SUBWOOFER

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response	30 Hz - 120 Hz
	Max SPL @ 1m	136 dB
Transducers	Woofer	1 x 18", 4.0" v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	XLR
	Output connectors	XLR
	Input sensitivity	-2 dBu/+4 dBu
Processor section	Hi-Pass Frequencies	120 Hz
	Low-Pass Frequencies	90 Hz
	Protections	Thermal, RMS
	Limiter	Fast Limiter
	Controls	Xover, Phase switch, Deep/Punch, Outuput Delay Settings, Cardioid
Power section	Total Power	2500 W Peak, 1250 W RMS
	Low frequencies	2500 W Peak, 1250 W RMS
	Cooling	Convection
	Connections	Powercon IN/OUT
Standard compliance	Safety agency	CE compliant
Physical specifications	Cabinet/Case Material	Baltic birch plywood
	Hardware	Provision for four wheel mounting on the rear panel.
	Handles	One handle each side
	Pole mount/Cap	M20 thread
	Grille	Steel with clothing
	Color	Black



SUB 8004-AS

ACTIVE HIGH POWER SUBWOOFER

Size / Weight	Height		700 mm / 27.56 inches	
	Width		558 mm / 21.97 inches	
	Depth		700 mm / 27.56 inches	
	Weight		56 kg / 123.46 lbs	
Rigging / Mounting	ACCESSORIES			
	POLE MOUNT KITS			
	13360232	AC PMX		EAN 8024530010058
	13360067	PM-KIT M20	Black	EAN 8024530014599
	STACKING KITS			
	13360231	STCK-KIT SUB 8006	Black	EAN 8024530018672
	COVERS			
	13360286	CVR SUB 8004	Black	EAN 8024530011666
	WHEELS			
	13360238	WH PRO 4X		EAN 8024530018320
Cables	CABLES KIT			
	13360102	AC XLR 3M3F		EAN 8024530006402