

SUB 702-AS MK3

ACTIVE SUBWOOFER

DESCRIPTION

The SUB 702-AS mk3 is a portable 12" high-power active subwoofer for live sound applications. It features a state-of-the-art transducer with a high-power ceramic magnetic circuit and a powerful Class-D amplifier that delivers sound pressure levels up to 129 dB with exceptional headroom. Designed as the ideal complement for 8" or 10" loudspeakers, it provides outstanding performance in any application. Rear panel controls include volume, EQ, polarity, delay, and crossover frequency selection. The rugged all-wood cabinet with scratch-resistant polyurea coating makes it durable, easy to carry and install securely. With its versatility, sound quality, and high power output, the SUB 702-AS MK3 is perfect for small to mid-sized venues and portable applications.

FEATURES


- 1400 Watt Class-D Amplifier
- 12" Woofer, bass reflex housing
- Stereo Crossover
- Switchable Crossover Frequencies
- Polarity-reverse switch
- Electronic equalization, soft limiter and protection
- Stereo XLR input, Stereo XLR signal output
- Bass Motion Control excursion management

TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response:	40 Hz ÷ 120 Hz
	Max SPL @ 1m:	129 dB
Transducers	Woofers:	12", 2.5" v.c
Input/Output section	Input signal:	bal/unbal
	Input connectors:	XLR
	Output connectors:	XLR
	Input sensitivity:	-2 dBu/+4 dBu
Processor section	Hi-Pass Frequencies:	110 Hz
	Low-Pass Frequencies:	80 Hz
	Protections:	Thermal, RMS
	Limiter:	Soft Limiter
	Controls:	Volume, EQ, Phase, Xover
Power section	Total Power:	1400 W Peak, 700 W RMS
	Low frequencies:	1400 W Peak, 700 W RMS
	Cooling:	Convection
	Connections:	VDE
Standard compliance	Safety agency:	CE compliant
Physical specifications	Cabinet/Case Material:	Baltic birch plywood
	Handles:	One each side
	Pole mount/Cap:	Yes
	Grille:	Steel with clothing
	Color:	Black
Size	Height:	523 mm / 20.59 inches
	Width:	360 mm / 14.17 inches
	Depth:	515 mm / 20.28 inches
	Weight:	21 kg / 46.3 lbs
Shipping information	Package Height:	565 mm / 22.24 inches
	Package Width:	575 mm / 22.64 inches
	Package Depth:	420 mm / 16.54 inches
	Package Weight:	25 kg / 55.12 lbs

PART NUMBER

- **13000819**
SUB 702-AS MK3
100-120V
- **13000818**
SUB 702-AS MK3
220-240V
EAN 8024530020477





ACCESSORIES

COVER CVR 005

PART NUMBER **13360528**
EAN: 8024530020408



POLE MOUNT KIT PM-KIT M20

PART NUMBER **13360067**
EAN: 8024530014599
